

## LeFu LF1325-B4 & LF1732-B4 60C Warm Flatbed Laminator



Max Lamination Width: 1300mm/51.18" (1700mm/ 66.9")  
Max Lamination Length: 2500mm/ 98.42" (3200mm/ 125.9")  
Lamination Temp: Warm 0~60C/0~140F.  
Max Lamination Thickness: 50mm/0.9"

**LeFu LF1325-B4 & LF1732-B4 60C Warm Flatbed Laminator**




Model	LF1325-B4	LF1732-B4
Max Lamination Width	1300mm/51.1"	1630mm/64.2"
Max Lamination Length	2500mm/98.4"	3200mm/125.9"
Max Lamination Thickness	50mm/1.96"	
Laminating Type	Flatbed	
Lamination Temp	0~60°C/0~148°F	
Diameter of Upper Roller	130mm (Silicon)	
Pressure/Height Adjust	Automatic	
Working Video on YouTube	<a href="https://youtu.be/CQfeB1uHtW4">https://youtu.be/CQfeB1uHtW4</a>	
Web Link	<a href="https://www.hotlaminator.cn/products/Flatbed-Laminator">https://www.hotlaminator.cn/products/Flatbed-Laminator</a>	
Voltage	AC110V-240V 50HZ-60HZ	
Working Power	Standard 1200W	
Working Electric Current	12A	
Certificate	CE, RCM, ROHS	
Package Size	3200*1200*1880=7.22CBM	3460*1200*2100=8.7CBM
Weight	N.W: 400kgs G.W: 500kgs	N.W: 500kgs G.W: 700kgs
<b>FOB Shanghai</b>		

Price Including One Set Flat Bed Laminator, Air Compressor, LED Light, Cutting Pad, Install Tool and Spare Parts Box.

### **SIMPLE CONTROL PANEL**

- Front Intelligent LCD Control Panel
- Operation is More Intuitive and Convenient
- Adjust Lamination Temperature and Pressure



### **LED ILLUMINATION UNDER TABLE**

- LED Illuminated under Table is Ideal to Apply Multicolored Translucent Graphics.

### **REAR MEDIA ROLL HOLDER**

- Media Roll Holder at end of Table
- Support Lamination Film during Flatbed Laminating



### **TILTED TABLE & SAFETY GLASS**

- Hybrid Lamination for Rigid & Flex Media.
- Tilted table Saving Transport Cost and Space.
- Easy Assembling and Operation.

### Premium Silicon Roller

- 130mm Silicon Roller for Heavy-Duty Work.
- Can Avoid Any Bubbles and Folds during Lamination
- Roller use Silicon and Solid Seamless Steel Tube



### DOUBLE SIDE ROLLER LIFTING SWITCH

- Operator can Control Roller Up and Down at Any Side of Table

### DOUBLE SIDES SLIDE-WAY UNDER TABLE

- Double sides Slide-way Easier Application and Storage Media.



### SILICON CUTTING PAD

- Silicon Cutting Pad Can Protect Glass Table During Laminating and Cutting